

VIVANCO

## Motorised outdoor security camera with 360° auto-tracking

SKU: VNOUTCAM360



### Dynamic outdoor surveillance with automatic motion tracking

#### AUTOMATIC TRACKING TO FOLLOW MOVEMENT OUTDOORS

The **Omni Guard outdoor security camera** monitors outdoor areas and automatically follows detected subjects thanks to its **auto-tracking function**. The system detects movement, adjusts the camera view to follow the subject and sends **real-time notifications** to your smartphone via the Vivanco Smart app. Simply connect the camera to a power source, connect it to Wi-Fi and add it to your Vivanco Smart app to stay updated at all times. It is a practical solution for monitoring entrances, courtyards, gardens and other outdoor areas, even when you are away from home. Continuous 24/7 recording provides maximum protection for your outdoor spaces. When the dedicated function is enabled, the camera can specifically detect people and human movement, sending more accurate notifications to your smartphone.

#### WIDE COVERAGE AND TWO-WAY AUDIO FOR GREATER CONTROL

Motorised horizontal movement of up to **300°** and vertical movement of up to **190°** extend the monitored area, allowing the camera to cover a wider space with its moving field of view. Sound detection provides additional specific alerts, while **two-way audio** lets you listen and speak through the camera for an extra level of control.

#### SUITABLE FOR DIFFERENT WEATHER CONDITIONS

The **IP64 rating** provides protection against dust and water splashes, making this security camera particularly suitable for outdoor environments. Its specified operating temperature range of **-10 °C to +45 °C** also makes it suitable for use across different seasons and climates.

#### CLEAR HIGH-DEFINITION IMAGES, EVEN AT NIGHT

The camera provides high-definition **3MP video**. At night, you can use **colour night vision** with two integrated spotlights that illuminate the outdoor area, or **infrared night vision up to 10 metres**. Night vision mode can be selected manually or set to automatic through the app, allowing the camera view to adapt to changing light conditions throughout the day.

#### SAVE YOUR RECORDINGS

The **microSD card slot** allows recordings to be stored locally, either as an alternative or in addition to the optional storage subscriptions available through Vivanco Smart. Both Wi-Fi networks and wired Ethernet connections are supported for greater connection stability.

## WHAT SETS IT APART

- Colour and infrared night vision
- Auto-tracking with motion and person detection
- 2.4 GHz and 5 GHz Wi-Fi or wired Ethernet connection
- High-definition 3MP video
- IP64-certified protection
- Motorised horizontal movement up to 300°
- Vertical movement up to 190°
- Local recording on microSD card
- Continuous cable power supply
- Real-time notifications via app
- Continuous recording
- Dimensions: 89 x 107.2 x 154.3 mm

## WHAT'S IN THE BOX

- 1 Omni Guard
- 1 USB-A to USB-C cable
- 1 power adapter
- 1 mounting bracket
- 1 eject pin
- 1 waterproof cable cover
- 1 bag of screws
- 1 user manual

**VIVANCO**

Motorised outdoor security camera with 360° auto-tracking  
SKU: VNOUTCAM360

## Technical data

EAN: 8018417543005  
SKU: VNOUTCAM360  
GPSR: The product must not be used by children or by people unable to understand the potential risks., Item subject to WEEE Directive 2012/19/EU, Item subject to CE marking, Packaging of the item subject to the "Green Dot" recycling system, The item packaging is recyclable, Item subject to UKCA marking  
Color: white  
Weight: 0.5000 g  
Connection: Ethernet, Wi-Fi  
Dimensions: 89 x 107,2 x 154,3 mm  
Resolution: 3MP  
Night vision: Up to 10 meters  
Other features: Built-in microphone, Micro SD card slot  
Finishing/Feature: IP64  
Included accessories: 1 Adapter, 1 Card removal needle, 1 USB power cable, Stand

## Logistics data

Depth Pack: 190 mm  
Width Pack: 110 mm  
Depth Inner: 220 mm  
Height Pack: 130 mm  
Weight Pack: 540 g  
Width Inner: 200 mm  
Amount Inner: 4 Pz  
Depth Master: 470 mm  
Height Inner: 270 mm  
Weight Inner: 2375 g  
Width Master: 420 mm  
Amount Master: 16 Pz  
Height Master: 310 mm  
Weight Master: 10420 g