VIVANCO

Motorised outdoor security camera with 360° auto-tracking

SKU: VNOUTCAM360







Dynamic outdoor surveillance with automatic motion tracking

AUTOMATIC TRACKING TO FOLLOW MOVEMENT OUTDOORS

The **Omni Guard outdoor security camera** monitors outdoor areas and automatically follows detected subjects thanks to its **auto-tracking function**. The system detects movement, adjusts the camera view to follow the subject and sends **real-time notifications** to your smartphone via the Vivanco Smart app. Simply connect the camera to a power source, connect it to Wi-Fi and add it to your Vivanco Smart app to stay updated at all times. It is a practical solution for monitoring entrances, courtyards, gardens and other outdoor areas, even when you are away from home. Continuous 24/7 recording provides maximum protection for your outdoor spaces. When the dedicated function is enabled, the camera can specifically detect people and human movement, sending more accurate notifications to your smartphone.

WIDE COVERAGE AND TWO-WAY AUDIO FOR GREATER CONTROL

Motorised horizontal movement of up to **300°** and vertical movement of up to **190°** extend the monitored area, allowing the camera to cover a wider space with its moving field of view. Sound detection provides additional specific alerts, while **two-way audio** lets you listen and speak through the camera for an extra level of control.

SUITABLE FOR DIFFERENT WEATHER CONDITIONS

The **IP64 rating** provides protection against dust and water splashes, making this security camera particularly suitable for outdoor environments. Its specified operating temperature range of -10 °C to +45 °C also makes it suitable for use across different seasons and climates.

CLEAR HIGH-DEFINITION IMAGES, EVEN AT NIGHT

The camera provides high-definition **3MP video**. At night, you can use **colour night vision** with two integrated spotlights that illuminate the outdoor area, or **infrared night vision up to 10 metres**. Night vision mode can be selected manually or set to automatic through the app, allowing the camera view to adapt to changing light conditions throughout the day.

SAVE YOUR RECORDINGS

The **microSD card slot** allows recordings to be stored locally, either as an alternative or in addition to the optional storage subscriptions available through Vivanco Smart. Both Wi-Fi networks and wired Ethernet connections are supported for greater connection stability.

WHAT SETS IT APART

- Colour and infrared night vision
- Auto-tracking with motion and person detection
- 2.4 GHz and 5 GHz Wi-Fi or wired Ethernet connection
- High-definition 3MP video
- IP64-certified protection
- Motorised horizontal movement up to 300°
- Vertical movement up to 190°
- Local recording on microSD card
- Continuous cable power supply
- Real-time notifications via app
- Continuous recording
- Dimensions: 89 x 107.2 x 154.3 mm

WHAT'S IN THE BOX

- 1 Omni Guard
- 1 USB-A to USB-C cable
- 1 power adapter
- 1 mounting bracket
- 1 eject pin
- 1 waterproof cable cover
- 1 bag of screws
- 1 user manual

VIVANCO

Motorised outdoor security camera with 360° auto-tracking
SKU: VNOUTCAM360

Technical data

EAN: 8018417543005
SKU: VNOUTCAM360
GPSR: The product must not be used by children or by people unable to understand the potential risks., Item subject to WEEE Directive 2012/19/EU, Item subject to CE marking, Packaging of the item subject to the "Green Dot" recycling system, The item packaging is recyclable, Item subject to UKCA marking
Color: white
Weight: 540 g
Connection: Ethernet, Wi-Fi
Dimensions: 89 x 107,2 x 154,3 mm
Resolution: 3MP
Night vision: Up to 10 meters
Other features: Built-in microphone, Micro SD card slot
Finishing/Feature: IP64
Included accessories: 1 Adapter, 1 Card removal needle, 1 USB power cable, Stand

Logistics data

Depth Pack: 110 mm
Width Pack: 190 mm
Depth Inner: 220 mm
Height Pack: 130 mm
Weight Pack: 540 g
Width Inner: 200 mm
Amount Inner: 4 Pz
Depth Master: 470 mm
Height Inner: 270 mm
Weight Inner: 2375 g
Width Master: 420 mm
Amount Master: 16 Pz
Height Master: 310 mm
Weight Master: 10420 g